# HP Color LaserJet Managed MFP E57540 series



# Help conserve energy and boost productivity with MFP that delivers multi-level device security.<sup>10</sup>

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient color MFP.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



#### HP Color LaserJet Managed MFP E57540dn



HP Color LaserJet Managed Flow MFP E57540c

## High-speed performance meets energy efficiency

- Print the first page from sleep mode as fast as 8.6 seconds<sup>2</sup>
- Speed through jobs. Print two sides almost as quickly as one—up to 40 ipm<sup>9</sup>—and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.<sup>3</sup>
- Choose a maximum capacity of up to 2300 sheets.<sup>8</sup> Print up to 59 pages per minute on A5.9

### Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.<sup>10</sup>
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.<sup>10</sup>
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.<sup>11</sup>
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>12</sup>

#### More. Pages, Performance, and Protection.

- Make an impression with leading color quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.<sup>113</sup>
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

#### Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.<sup>5</sup>
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.<sup>6</sup>
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.<sup>7</sup>
- Easily access, print, and share resources with Ethernet and optional wireless networking.<sup>4</sup>

<sup>1</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 508X High Yield Original LaserJet Toner Cartridges with HP Black Managed LJ Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies<sup>2</sup> Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see

http://www.hp.com/got/claims
3 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/got/claims
4 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.
5 Benuires purchase of optional HP letdirect 3000w NEr/Wireless Direct Accessory. Mobile device peeds to be connected directly to the Wi-Fi network of a wireless direct-canable MEP or printer prior to printing. Depending.

5 Requires purchase of optional HP letdirect 3000w NEC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–canable MEP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting

<sup>6</sup> Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near-field communication (NFC)—enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting

<sup>9</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>2</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity

<sup>11</sup> Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printingsolutions <sup>12</sup> Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin

<sup>13</sup> HP Black Managed LJ Toner Cartridges not include; please purchase separately.
<sup>14</sup> An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

http://www.hp.com/go/Liclaims

Wieless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
<sup>8</sup> Purchase of optional paper trays required to reach maximum input capacity

## Product walkaround

- 1. 100-sheet ADF with single-pass, two-sided scanning
- 2. Hardware Integration Pocket<sup>2</sup>
- 3. Easy-access USB port<sup>3</sup>
- 4. 250-sheet output tray
- 5. Front door (access to HP JetIntelligence Toner cartridges)
- 6. Fax port,<sup>4</sup> Ethernet port, Host USB port, Hi-Speed USB 2.0 printing port
- 7. Automatic two-sided printing
- 8. 550-sheet tray 2
- 9. 8.0-inch (20.3 cm) color touchscreen
- 10. Optional wireless direct printing<sup>5</sup>/optional NFC<sup>6</sup>
- 11 Convenience stapler<sup>7</sup>
- 12. Advanced workflow features, including pull-out keyboard<sup>1</sup>
- 13. Right door (access to the print path)
- 14. 100-sheet multipurpose tray 1
- 15. HP High-Performance Secure Hard Disk



# Series at a glance





Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c
Model	Model	
Product number	3GY25A	3GY26A
Print speeds (letter/A4) <sup>8</sup>	Up to 40 ppm (black and color)	
Control panel	8.0-inch (20.3 cm) color touchscreen	
Fax capability <sup>4</sup>	Optional	
100-sheet ADF with single-pass, two-sided scanning	√	
100-sheet multipurpose tray 1, 550-sheet tray 2	$\checkmark$	
HIP, <sup>2</sup> easy-access USB <sup>3</sup>	√	
HP Secure high performance hard disk drive	√	
Convenience stapler	Not available	$\checkmark$
Scan to Microsoft® SharePoint®	Not available	$\checkmark$
HP EveryPage with ultrasonic detection <sup>1</sup>	Not available	$\checkmark$
Advanced workflow features including a pull-out keyboard <sup>1</sup>	Not available	$\checkmark$
Embedded OCR	Not available	Embedded OCR

- <sup>1</sup> The pull-out keyboard, HP EveryPage, and embedded OCR are only available on the MFP E57540c model.

- <sup>3</sup> An administrator must enable the easy-access USB port before use. <sup>5</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>3</sup> An administrator must enable the easy-access USB port before use. <sup>4</sup> Fax capabilities are optional for both models with purchase of the HP LaserJet MFP Analog Fax Accessory. <sup>5</sup> Wireless direct printing Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see
- prior to printing. Depending on moune device, an apportance is a sequence. Incluse performance is dependent an apportance in a provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and provide may also be required. Incluse performance is dependent and performance in the maximum and performance is dependent and performance is dependent and performance is dependent and performance in the maximum and performance is dependent and performance is dependent and perform and performance in the maximum and performance is dependent and performance is dependent and performance is dependent and performance in the maximum and performance is dependent and performance is dependent and performance is dependent and performance in the maximum and performance is dependent and performance in the maximum and performance is dependent and performance in the maximum and performance is dependent and performance is dependent and performance in the maximum and performance is dependent and performance is dependent and performance in the maximum and performance is dependent and performance is dependent and performance in the maximum and performance is dependent and performance in the maximum and performance is dependent and performance is dependent and performance in the maximum and perform and performance in

#### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Windows® 10

AirPrint

For carepack availability visit: hp.com/go/cpc:

#### Top features

This efficient MFP is designed to conserve energy without sacrificing productivity—so users can speed through tasks and move business forward. It also uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.<sup>3</sup>

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet.<sup>10</sup>

Bring out the best in your MFP. Print more high-quality pages than ever before,<sup>1</sup> using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network  $access^5$ —and keep users connected with Ethernet and optional wireless networking.<sup>4</sup> Print with just a touch from mobile devices.<sup>6</sup>

#### Accessories

B5L34A HP Color LaserJet 550-sheet Media Trav B5L51A HP Color LaserJet Printer Cabinet B5L53A HP LaserJet MFP Analog Fax Accessory **B5L28A** HP Internal USB Ports E5K48A HP 1GB DDR3 x32 144-Pin 800MHz SODIMM F5S62A HP Trusted Platform Module Accessory **B5L31A** HP Foreign Interface Harness J8030A HP Jetdirect 3000w NFC/Wireless Accessory J8031A HP letdirect 2900nw Print Server 2TD64A HP Accessibility Kit B5L29A HP High-Performance Secure Hard Disk CZ208A HP Access Control USB Proximity Reader A7W14A HP LaserJet Swedish Overlay Keyboard 2NR12A HP Removable Hard Drive Enclosure X3D03A HP Universal USB Proximity Card Reader Y7C05A HP HIP2 Keystroke Reader Supplies

HP **CF360XC** High Yield Black Contract Original LaserJet Toner Cartridge (~ 14,900 pages) CF360XC HP **CF361XC** High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC HP **CF362XC** High Yield Yellow Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF362XC HP **CF363XC** High Yield Magenta Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF363XC HP **W9060MC** Black Managed LaserJet Toner Cartridge (~ 15,000 pages) W9060MC HP **W9061MC** Cyan Managed LaserJet Toner Cartridge (~ 12,200 pages) W9061MC HP **W9062MC** Yellow Managed LaserJet Toner Cartridge (~ 12,200 pages) W9062MC HP **W9063MC** Magenta Managed LaserJet Toner Cartridge (~ 12,200 pages) W9063MC Services

U8TW4E HP 3 yr Next business day w/Defective Media Retention Service for Color LaserJet M577 E57540 Managed U8TW5E HP 4 yr Next business day w/Defective Media Retention Service for Color LaserJet M577 E57540 Managed U8TW6E HP 5 yr Next business day w/Defective Media Retention Service for Color LaserJet M577 E57540 Managed U9JT2E HP Inst SVC w/nw Workgroup Printer

<sup>1</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 508X High Yield Original LaserJet Toner Cartridges with HP Black Managed LJ Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies

<sup>3</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims
 <sup>4</sup> Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN

<sup>5</sup> Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see

<sup>6</sup> Requires purchase of optional HP Jatdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near-field communication (NFC)—enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting

<sup>10</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity

Data sheet | HP Color LaserJet Managed MFP E57540 series

# HP Color LaserJet Managed MFP E57540 series

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c
Product number AIO functions	3GY25A Print, copy, scan, optional fax	3GY26A
Print		
rint speed <sup>11</sup>	A4: Up to 38 ppm Black; Up to 38 ppm Color; 2-sided: Up to 38 ipm Black; Up to 38 ipm Color; First page out: As as 5.6 sec Black; As fast as 6.9 sec Color; Print speed (Landscape, A5): Up to 59 ppm Black; Up to 59 ppm Color	Fast A4: Up to 38 ppm Black; Up to 38 ppm Color; 2-sided: Up to 38 ipm Black; Up to 38 ipm Color; First page out: As fast 5.9 sec Black; As fast as 6.9 sec Color; Print speed (Landscape, A5): Up to 59 ppm Black; Up to 59 ppm Color
rint resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi Color (best): Up to 1200 x 1200 dpi; Clor (normal): Up to 600 x 600 dpi; Clor (fine lines): Up to 1200 x 1200 dpi	a sis see block, is last as of sisce exist, in it speed tearlastape, har op to so ppin block, op to so ppin exist
int technology	Laser; Print resolution technology: HP ImageREt 3600, Pantone Calibrated	
int cartridges number	4 (1 each black, cyan, magenta, yellow)	
andard print languages inter smart software	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)	
atures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jo	
rinter management P Sure Supply <sup>7</sup>	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent Yes	Printer Administrator Resource Kit for HP Universal Print Driver
an		
an type / Technology an resolution	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS) Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	
arresolution		Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OC
an file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, IPEG, TIFF, MTFF, XPS, PDFA, TEXT (DCR), Unicode TEXT (DCR), RTF (DCR), Searchable PDFA (DCR), Searchable PDFA (DCR), HTML (DCR), CSV (DCR); Scan to easy access USR: PDF, IPEG, TIFF, MTFF, XPS, PDFA, TE (DCR), Unicode TEXT (DCR), RTF (DCR), Searchable PDF (DCR), Searchable PDFA (DCR), HTML (DCR), CSV (DCR); F from easy access USR: PDF SP, Print Ready files (Crn., p.cl., cht)
an input modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Exter	
an Size	ADF: 216 x 356 mm Maximum; 105 x 127 mm Minimum; Flatbed: 216 x 356 mm	
an speed	Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) <b>Duplex:</b> Up to 43 ipm (b&w), up to 38 ipm (color)	Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color) <b>Duplex:</b> Up to 64 ipm (b&w), up to 58 ipm (color)
anner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 60 Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimize text/picture; Image adjustments; Job buld; Output quality setting; Selectable scan resolution 75 to 60 Auto detect color; Edge Eras; Job notification; Blank page suppression; IH Quick Sets; IH PeveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto corg to page; Auto-tone
depth / Grayscale levels	24-bit / 256	
gital sending standard atures	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Bo	ok; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
ру		
py speed	Black (ISO): Up to 38 cpm; Color (ISO): Up to 38 cpm; First Copy Speed: As fast as 5.6 sec Black; As fast as 9.1 sec Color; 2-sided: Up to 38 cpm Black; Up to 38 cpm Color	Black (ISO): Up to 38 cpm; Color (ISO): Up to 38 cpm; First Copy Speed: As fast as 5.7 sec Black; As fast as 9.2 sec Color; 2-sided: Up to 38 cpm Black; Up to 38 cpm Color
py resolution	Color (text and graphics): Up to 600 x 600 dpi (flatbed); Up to 300 x 600 dpi (ADF)	
aximum Number of pies	Up to 9999 copies	
pier resize	25 to 400%	i or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to
pier settings	Copy (different media sizes)	י סי ב-סומפוווק, כסונפוג סופוגמנוסו, כסנומנוסו, שסטגופג, זסט סטוום, בטעפ-נס-פטעפ, זסט גנסומעפ, וט כסףט, שסטג כסףט, א-נס
x onnectivity		
andard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; H	ardware Integration Pocket
twork capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802	3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)
reless capability bile printing capability <sup>14</sup>	Optional, enabled with purchase of hardware accessory. HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0	
emory	Standard: 1.25 GB (printer), 512 MB (scanner); Maximum: 3.75 GB	
ocessor speed	1.2 GHz / Hard disk: Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 h Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB	ardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data
uty cycle (monthly) <sup>9</sup>	A4:Up to 120,000 pages; Recommended monthly page volume <sup>10</sup> : 2000 to 15,000	
a <b>per handling</b> put	100-sheet multipurpose tray, 550-sheet input tray 2; Up to 650 sheets Standard; Up to 10 envelopes	
utput	Standard: 250-sheet output bin; Up to 250 sheets Standard; Transparencies: Up to 100 sheets	Standard: 250-sheet output bin, convenience stapler; Up to 250 sheets Standard; Transparencies: Up to 100 sh
uplex Options Ito document feeder	Automatic (standard)	
pacity	Standard, 100 sheets	
welope feeder andard paper trays	No 2	
edia types	c. Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rou	
	opaque film, user-defined Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati	
adia woidht	opaque film, user-defined Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105	
	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 Duplexer: 60 to 163 g/m²	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati
edia sizes	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 Duplexer: 60 to 163 g/m² Tray 1: 44, RA4 A5, 85 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3+: A4, RA4, A5, 85 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 × 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona
edia sizes edia Sizes Custom	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 Duplexer: 60 to 153 g/m² Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10: 15 cm, A6, 16K, envelopes (B5, C5 IS0, C6, DL IS0); Custom: 76 x 127 Trays 3: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 237 mm; Optional Trays 3+: 102 x 148 to 216 x	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 × 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona
edia sizes edia Sizes Custom imensions (w x d x h) <sup>2</sup> leight <sup>3</sup>	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 Duglexer: 60 to 163 g/m² Tray 1: A4, RA4, A5, B5 UIS), B6 UIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3 *: A4, A5, B5 UIS), 16K; Custom: 102 x 148 to 216 x 356 mm Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3 *: 102 x 148 to 216 x 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm 38.1 kg	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 38.6 kg
edia sizes edia Sizes Custom imensions (w x d x h) <sup>2</sup> /eight <sup>3</sup>	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 Duplexer: 60 to 163 g/m² Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Tray 5: 3: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm 38.1 kg Printer; Pour preinstalled HP Laser Jet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectit	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 156 mm 38.6 kg n unit; In-box documentation; CD; Power Cord
edia sizes edia Sizes Custom imensions (w x d x h) <sup>2</sup> leight <sup>3</sup> hat's in the box <sup>1</sup>	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 Duplexer: 60 to 163 g/m² Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Tray 5: 3: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm 38.1 kg Printer; Pour preinstalled HP Laser Jet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectit	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 156 mm 38.6 kg n unit; In-box documentation; CD; Power Cord
edia sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> eight <sup>3</sup> hat's in the box <sup>1</sup>	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to papers; 60 to 163 g/m²           Tray 1: 64, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 IS0, C6, DL IS0); Custom: 76 x 127           Tray 3: 7: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm           Tray 1: 7: 6X 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; 0ptional Trays 3+: 102 x 148 to 216 x 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm           38.1 kg           Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectitic (~15,000 pages) Walds Contract Original Laser Jet Toner Cartridge (~14,900 pages) (T530XK; Hp) Yeid Magenta Contract (~15,000 pages) Walds MCC, Yan Managed Laser Jet Toner Cartridge (~12,200 pages) Walds MC	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm 38.6 kg n unit; In-box documentation; CD; Power Cord 'High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Profinal LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow PW9062MC Yellow Managed LaserJet Toner Cartridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed
edia Sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> eight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6,</sup> arranty features	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to papers; 60 to 163 g/m²           Tray 1: 64, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 IS0, C6, DL IS0); Custom: 76 x 127           Tray 3: 7: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm           Tray 1: 7: 6X 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; 0ptional Trays 3+: 102 x 148 to 216 x 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm           38.1 kg           Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectitic (~15,000 pages) Walds Contract Original Laser Jet Toner Cartridge (~14,900 pages) (T530XK; Hp) Yeid Magenta Contract (~15,000 pages) Walds MCC, Yan Managed Laser Jet Toner Cartridge (~12,200 pages) Walds MC	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm 38.6 kg n unit; In-box documentation; CD; Power Cord 'High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Progrand LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow PW9062MC Yellow Managed LaserJet Toner Cartridge (~ 12,200 pages) W9062MC; HP W9063MC Magerita Managed
edia Sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> eight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6,</sup> arranty features	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 64 Ref 4, 65 B5 (gl); B6 (JS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 IS0, C6, DL IS0); Custom: 76 x 127 Trays 3: A4, RA4, A5, B5 (JS), 16K; Custom: 102 x 148 to 216 x 356 mm; Tray 2: 172 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 356 mm; Toy 2: 102 x 148 to 216 x 597 mm; Optional Trays 3+: 102 x 148 to 216 x 486 x 504 x 583 mm; Bakimum; 699 x 504 x 583 mm; 38. 1 kg Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) W966 MC; Cary A Managed LaserJet Toner Cartridge (~14,900 pages) (CF360XC; HP CF361XC; Cartridge (~12,000 pages) W966 MC; LaserJet Toner Cartridge (~12,200 pages) W906 MC; LaserJ	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm. 38.6 kg a unit; In-box documentation; CD; Power Cord High Yield Cyan Contract Original Laser Jet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original Laser Jet Toner Cartridge (~ 11,700 pages) CF361XC; HP W9062MC; HP W9062MC Managed Laser Jet Toner Cartridge HP W9062MC Yellow Managed Laser Jet Toner Cartridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed gag requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in
edia sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> elght <sup>3</sup> nat's in the box <sup>1</sup> placement cartridges <sup>6,</sup> arranty features ergy efficiency mpliance	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 1: 76 st 217 to 216 st 356 mm; Tray 2: 102 st 148 to 216 st 297 mm; Optional Trays 3+: 102 st 148 to 216 st 482 st 504 st 583 mm; Maximum; 699 st 504 st 583 mm 38.1 kg Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) Wight Black Contract Original LaserJet Toner Castridge (~14,900 pages); Toner Collectic (~15,000 pages) Wight Contract Original LaserJet Toner Castridge (~14,900 pages) (PE36XK; Hip Yield Magenta Contract (~15,000 pages) Wight Wight Contract Original LaserJet Toner Castridge (~12,200 pages) Wight Contract (~15,000 pages) Wight Wight Contract Original LaserJet Toner Castridge (~12,200 pages) Wight Contract (~15,000 pages) Wight Wight Contract Original LaserJet Toner Castridge (~12,200 pages) Wight Contract (~15,000 pages) Wight Wight Contract Vight (~12,000 pages) Wight Contract (~15,000 pages) Wight Wight Contract Vight (~12,000 pages) Wight Contract Original LaserJet Toner Castridge (~12,200 pages) Wight Contract (~12,000 pages) Wight (~12,000 pages) (~12,000 pages) Wight (~12,000 pages) Wight (~12,000 pages) (~12,000	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm. 38.6 kg a unit; In-box documentation; CD; Power Cord High Yield Cyan Contract Original Laser Jet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original Laser Jet Toner Cartridge (~ 11,700 pages) CF361XC; HP W9062MC; HP W9062MC Managed Laser Jet Toner Cartridge HP W9062MC Yellow Managed Laser Jet Toner Cartridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed gag requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in
edia sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> eight <sup>3</sup> nat's in the box <sup>1</sup> placement cartridges <sup>6,</sup> arranty features ergy efficiency mpliance ntrol panel	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to plages: 60 to 153 g/m²</li> <li>Tray 1: 74, RA4, A5, B5 (JIS), 106 ti 51 cm, A6, 16K, envelopes (B5, C5 150, C6, DL ISO); Custom: 76 x 127 trays 3*: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 237 mm; Optional Trays 3*: 102 x 148 to 216 x 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm</li> <li>Pinter; Four preinstalled HP Laser let toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) Waddom (~11,700 pages) CF36XX; HP CF36XX (High Yield Magenta Contract (1-17,000 pages) CF36XX; HP CF36XX (High Yield Magenta Contract (~15,000 pages); W9061MC; Laser let Toner Cartridge (~12,200 pages) W9061MC; Laser let Toner Cartridge (~12,200 pages) W9061MC; Laser let Toner Cartridge (~12,200 pages); W9061MC; Laser let Toner Cartridge (~12,200 pages); W9061MC; Laser let Toner Cartridge (~12,200 pages) W9061MC; Laser let Toner Cartridge (~12,200 pages); W9061MC; Cuser M9063MC</li> <li>One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local region.</li> <li>ENREGY STAR® qualified; EPEAT® Silver</li> </ul>	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatics 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional 256 mm 38.6 kg 13.6 kg 14.6 Van Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP W9063MC Managed LaserJet Toner Cartridge HP W9062MC Yellow Managed LaserJet Toner Cartridge (~ 12,200 pages) W9062MC; HP W9063MC Managed LaserJet Toner Cartridge egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreer; rotating (adjustable angle) display; illuminated button (for quick return to the Home menu); Extended Keyboard
edia sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> aight <sup>3</sup> att <sup>2</sup> in the box <sup>1</sup> att <sup>2</sup> in the box <sup>1</sup> artanty features ergy efficiency mpliance ergy efficiency mpliance splay	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 1: 76 x 127 to 216 x 325 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 482 x 504 x 583 mm; Maximum; 699 x 504 x 583 mm 38.1 kg Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectic HP CE360XC High Yidd Black Contract Original LaserJet Toner Cartridge (~14,900 pages) (E-560X; High Yidd Magerta Contract (~15,000 pages) W9660MC; HP W9661MC (van Nanaged LaserJet Toner Cartridge (~12,200 pages) W9661MC; LaserJet Toner Cartridge (~12,200 pages) W9663MC; One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local region. ENERGY STAR® qualified; EPEAT® Silver 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreer; rotating (adjustable angle) display; illuminated H button (for quick return to the Home menu) 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreer; rotating (adjustable angle) display; illuminated H PC Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 38.6 kg n unit; In-box documentation; CD; Power Cord High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 12,200 pages) WOBG/MC (Black Managed BW 9052MC Yellow Managed LaserJet Toner Cartridge (~ 2,200 pages) WOBG/MC (HOSAMC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in button (for quick return to the Home menu); Extended keyboard ome button (for quick return to the Home menu) S Welcome Screen (Directs users to 123.HP.Com or OS App Source for printer software), Online user manuals
edia sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> elight <sup>3</sup> hat's in the box <sup>1</sup> hat's in the box <sup>1</sup> placement cartridges <sup>6,</sup> arranty features ergy efficiency mpliance ergy efficiency mpliance play ftware included	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 63 to 230 g/m² (glossy paper); Tray 1: 76 st 216 st 356 mm; Tray 2: 102 st 126 to 216 st 356 mm; Tray 2: 102 st 126 to 216 st 356 mm; Tray 2: 102 st 126 to 216 st 366 mm; Tray 2: 102 st 126 to 216 st 369 mm; Togy 2: 102 st 148 to 216 st 297 mm; Optional Trays 3+: 102 st 148 to 216 st 482 st 504 st 583 mm; Maximum; 699 st 504 st 583 mm</li> <li>R4 28 st 504 st 583 mm; Maximum; 699 st 504 st 583 mm</li> <li>R4 g</li> <li>Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectitic (~15,000 pages) Wake Contract Original Laser Jet Toner Cartridge (~11,700 pages) CF363X; Hip Yield Magenta Contract (~15,000 pages) W9060MC; HP W9061MC; Oyan Managed Laser Jet Toner Cartridge (~12,200 pages) W9061MC; Laser Jet Toner Cartridge (~12,200 pages) W9061MC; Laser Jet Toner Cartridge (~12,200 pages) W9061MC; Oyan Managed Laser Jet Toner Cartridge (~12,200 pages) W9061MC; One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local region.</li> <li>ENERGY STAR® qualified; EPEAT® Silver</li> <li>B.oin (20.3 cm) Color Graphics Display (CGD) with touchscreer; rotating (adjustable angle) display; illuminated H P Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Drive; HP Software Installer/Uninstaller, Mac 105 internal TrueFype fonts sclable in HP CL, 92 internal sclabel fonts in HP postscript Level 3 emulation (E1 Additional for Solutins available vis attir/op any flash memory cards; HP Laser/H</li></ul>	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 38.6 kg nu nult; In-box documentation; CD; Power Cord High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 12,200 pages) WOBCMC; HP W3063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in me Button (for quick return to the Home menu); Extended Keyboard ome Button (for quick return to the Home menu) Selecome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals ro symbol built-in); 11 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Can albel at http://www.hp.com/glaserietTonts
edia sizes edia Sizes Custom mensions (w x d x h) <sup>2</sup> eight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6,</sup> arranty features erergy efficiency mplance introl panel splay fitware included mts and typefaces impatible operating	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 63 to 230 g/m² (glossy paper); Tray 1: 76 st 216 st 356 mm; Tray 2: 102 st 126 to 216 st 356 mm; Tray 2: 102 st 126 to 216 st 356 mm; Tray 2: 102 st 127 to 216 st 356 mm; Tray 2: 102 st 126 to 216 st 366 mm;</li> <li>Tray 1: 76 st 27 to 216 st 356 mm; Tray 2: 102 st 148 to 216 st 297 mm; Optional Trays 3+: 102 st 148 to 216 st 482 st 504 st 583 mm;</li> <li>Ray 2: 504 st 583 mm; Maximum; 699 st 504 st 583 mm</li> <li>Ray 18 mm; Tay 2: 102 st 126 st 356 mm; Tray 2: 102 st 148 to 216 st 297 mm; Optional Trays 3+: 102 st 148 to 216 st 297 mm; Optional Trays 3+: 102 st 148 to 216 st 200 pages); Toner Collectic (1 + 102 Glossy page); Color: -5000 pages); Toner Collectic (1 - 1, 700 pages); Ca52CK; HP C563CK; HD Yield Magenta Contract (-15, 2000 pages); W9061MC; Oran Managed Laser let Toner Cartridge (-12, 200 pages); W9061MC; Uaser let Toner Cartridge (-12, 200 pages); W9061MC; One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local region.</li> <li>ENERGY STAR® qualified; EPEAT® Silver</li> <li>B.O-ini (20.3 cm) Color Graphics Display (CGD) with touchscreer; rotating (adjustable angle) display; illuminated H DC Onaccted, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac 105 internal True Type Fonts scalable in HP CL, 92 internal scalable fonts in HP postscript Level 3 mulation (E1 Additional for Subdins available via third-partyr Hash memory cards; HL aser/L Fontas and HPD Simulation.</li></ul>	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 38.6 kg nu nu1; In-box documentation; CD; Power Cord High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 12,200 pages) WOBCMC; HP W3063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in button (for quick return to the Home menu); Extended Keyboard ome button (for quick return to the Home menu) DS Welcome Screen Directs users to 123.HP.Com or OS App Source for printer software), Online user manuals ro symbol built-in); Tinternal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Car alable at http://www.hp.com/supports. 6), Linux Fedora (22, 23, 24), Unux Mint (17, 17, 17, 2, 17, 3, 18), Linux Red Hat Enterprise (60, 70, 0), Linux SUSE (13, 12).
edia sizes edia sizes Custom mensions (w x d x h) <sup>2</sup> eight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6,</sup> arranty features erergy efficiency mplance ontrol panel splay fotware included onts and typefaces ompatible operating	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 210 tray 1: 76 to 216 s 356 mm? Tray 2: 102 to 126 s 356 mm? Tray 2: 102 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 120 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0;	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automat to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 136 mm 38.6 kg unit: In-box documentation; CD: Power Cord High Yield Cyan Contract Original Laser Jet Toner Catridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Wigh Stark Toner Catridge (~ 11, 700 pages) CF363XX; HP W9060K, Black Managed Laser Jet Toner Catridge HP W9062MC Yellow Managed Laser Jet Toner Catridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated button (for quick return to the Home menu) SWelcome Screen (Directs users to 123.HP.com or 05 App Source for printer software). Online user manuals or symbol builtin; 1; Titerral Hindra & Fants (Madale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Car allable at http://www.hp.com/go/laserjetfonts 6, Linux Fedora (22, 24), Linux Mint (17, 17, 17, 3, 18), Linux Red Hat Enterprise (6, 0, 7,0), Linux SUSE (13, 11 Et Capitan, UNIX, Windows; 7 all 32-8 de-bit entitions for TabletS, Windows 7, all 32-8 de-bit
edia sizes edia sizes custom imensions (w x d x h) <sup>2</sup> eight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6,</sup> arranty features hergy efficiency mpliance ontrol panel isplay oftware included onts and typefaces ompatible operating	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 210 tray 1: 76 to 216 s 356 mm? Tray 2: 102 to 126 s 356 mm? Tray 2: 102 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 120 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0;	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automat to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 136 mm 38.6 kg unit: In-box documentation; CD: Power Cord High Yield Cyan Contract Original Laser Jet Toner Catridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Wigh Stark Toner Catridge (~ 11, 700 pages) CF363XX; HP W9060K, Black Managed Laser Jet Toner Catridge HP W9062MC Yellow Managed Laser Jet Toner Catridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated button (for quick return to the Home menu) SWelcome Screen (Directs users to 123.HP.com or 05 App Source for printer software). Online user manuals or symbol builtin; 1; Titerral Hindra & Fants (Madale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Car allable at http://www.hp.com/go/laserjetfonts 6, Linux Fedora (22, 24), Linux Mint (17, 17, 17, 3, 18), Linux Red Hat Enterprise (6, 0, 7,0), Linux SUSE (13, 11 Et Capitan, UNIX, Windows; 7 all 32-8 de-bit entitions for TabletS, Windows 7, all 32-8 de-bit
edia sizes edia sizes Custom imensions (w x d x h) <sup>2</sup> leight <sup>3</sup> hat's in the box <sup>1</sup> epplacement cartridges <sup>6</sup> . larranty features nergy efficiency impliance ontrol panel isplay offware included onts and typefaces ompatible operating stems <sup>13</sup> ompatible network	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 210 tray 1: 76 to 216 s 356 mm? Tray 2: 102 to 126 s 356 mm? Tray 2: 102 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 120 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0;	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automat to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 136 mm 38.6 kg unit: In-box documentation; CD: Power Cord High Yield Cyan Contract Original Laser Jet Toner Catridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Wigh Stark Toner Catridge (~ 11, 700 pages) CF363XX; HP W9060K, Black Managed Laser Jet Toner Catridge HP W9062MC Yellow Managed Laser Jet Toner Catridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated button (for quick return to the Home menu) SWelcome Screen (Directs users to 123.HP.com or 05 App Source for printer software). Online user manuals or symbol builtin; 1; Titerral Hindra & Fants (Madale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Car allable at http://www.hp.com/go/laserjetfonts 6, Linux Fedora (22, 24), Linux Mint (17, 17, 17, 3, 18), Linux Red Hat Enterprise (6, 0, 7,0), Linux SUSE (13, 11 Et Capitan, UNIX, Windows; 7 all 32-8 de-bit entitions for TabletS, Windows 7, all 32-8 de-bit
edia sizes edia sizes Custom mensions (w x d x h) <sup>2</sup> elight <sup>3</sup> alth in the box <sup>1</sup> arranty features errgy efficiency mplance splay oftware included onts and typefaces mpatible operating stems <sup>13</sup>	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 210 tray 1: 76 to 216 s 356 mm? Tray 2: 102 to 126 s 356 mm? Tray 2: 102 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 120 x 148 to 216 x 297 mm; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0; 0;	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automat to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 38.6 kg unit: In-box documentation; CD: Power Cord High Yeld Cyan Contract Original Laser Jet Toner Catridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Grignal Laser; et Toner Catridge (~ 11, 700 pages) CF361XC; HP W9060XC Black Managed Laser Jet Toner Catridge HP W9062MC Yellow Managed Laser Jet Toner Catridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in button (for quick return to the Home menu). Steined B. 0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated button (for quick return to the Home menu). Steineme Jutton Ker guick return to the Home menu). Steineme Jutton Ker aguick return to the Home menu).
edia sizes edia sizes (a Sizes Custom imensions (w x d x h) <sup>2</sup> leight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6</sup> . arranty features nergy efficiency mpliance ontrol panel isplay oftware included onts and typefaces ompatible operating sistems <sup>13</sup>	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 20 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 20 g/m² (glossy paper); Tray 1: 76 x 127 to 216 x 325 mm; Tray 2: 102 x 148 to 216 x 297 mm; 0ptional Trays 3+: 102 x 148 to 216 x 348 to 200 pages); Toner collectic 482 x 504 x 583 mm; Maximum; 699 x 504 x 583 mm 38.1 kg Printer; Four preinstalled HP Laser Jet toner cartridge (Black: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) WoofoMC; HP W9061MC; Cyan Managed Laser Jet Toner Cartridge (~12,200 pages) W9061MC; Laser Jet Toner Cartridge (~12,200 pages) W9061MC; Cyan Managed Laser Jet Toner Cartridge (~12,200 pages) W9061MC; Laser Jet Toner Cartridge (~12,000 pages); Toner collectic (~15,000; Pages); M9063MC; One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local region. Coun Color Graphics Display (ICG) with touchscreen; rotating fadjustable angle) display; illuminated H Jet Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Unitalem, Max 100 internal New Koss;	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automat to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 136 mm 38.6 kg unit: In-box documentation; CD: Power Cord High Yield Cyan Contract Original Laser Jet Toner Catridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Wigh Stark Toner Catridge (~ 11, 700 pages) CF363XX; HP W9060K, Black Managed Laser Jet Toner Catridge HP W9062MC Yellow Managed Laser Jet Toner Catridge (~ 12,200 pages) W9062MC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated button (for quick return to the Home menu) SWelcome Screen (Directs users to 123.HP.com or 05 App Source for printer software). Online user manuals or symbol builtin; 1; Titerral Hindra & Fants (Madale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Car allable at http://www.hp.com/go/laserjetfonts 6, Linux Fedora (22, 24), Linux Mint (17, 17, 17, 3, 18), Linux Red Hat Enterprise (6, 0, 7,0), Linux SUSE (13, 11 Et Capitan, UNIX, Windows; 7 all 32-8 de-bit entitions for TabletS, Windows 7, all 32-8 de-bit
edia sizes edia sizes Custom imensions (w x d x h) <sup>2</sup> leight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6</sup> , arranty features ergy efficiency mpliance sontrol panel isplay oftware included onts and typefaces ompatible operating sterms <sup>13</sup> compatible network serating systems	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 buplexer: 60 to 163 g/m²</li> <li>Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3 *: 41, RA4, A5, B5 (JIS), 16K; (ustom: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76, X127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; 0ptional Trays 3 *: 102 x 148 to 216 x 348 mm</li> <li>38.1 kg</li> <li>Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) Waddmum: 699 x 504 x 583 mm</li> <li>38.1 kg</li> <li>Printer; Four preinstalled HP Laser Jet toner cartridge (Flack: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) Waddmum: 699 x 504 x 583 mm</li> <li>Chard Chigh K, Contract Original Laser Jet Toner Cartridge (~14,900 pages); Toner collectic (~15,000 pages) Waddmum: 699 x 504 x 583 mm</li> <li>Chard Chigh Laser Jet Toner Cartridge (~12,200 pages) Waddmum Carter (~15,000 pages); Waddmum Carter (~11,700 pages) CF362X; HP (Weld Magenta Contract (~15,000 pages) Waddmum Carter (artridge (~12,200 pages) Waddmum Carter (~12,200 pages) Waddmum Carter (artridge (~12,200 pages) Waddmum Carter (~12,000 pages)</li></ul>	a 220 g/m² (glossy paper); Optional Trays 3*: 60 to 220 g/m² (plain paper); 105 to 220 g/m² (glossy paper); Automat         to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional 38.6 kg         a 38.6 kg         a unit; In-box documentation; CD: Power Cord         High Yield Cyan Contract Original Laser Jet Toner Catridge (~11,700 pages) CF361XC; HP CF362XC High Yield Yellow         Migginal Laser; It Toner Catridge (~11,700 pages) CF361XC; HP W9063MC Magenta Managed         egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in button (for quick return to the Home menu).         Storm Ebutton (for quick return to the Home menu)         DS welcome Screen (Directs users to 123.HP.com or 05 App Source for printer software). Online user manuals or symbol built-in; 1: trierant Illindoe Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Can allable at http://www.hp.com/go/laserjetfonts         6). Linux Fedora (22, 23, 24). Linux (17, 17, 17, 2, 17, 3, 18). Linux Red Hat Enterprise (60, 7, 0). Linux SUSE (13, 11 LE Capitar). Windows Size 32, and 64-bit. Univod ws Server 2008 RZ 1/2008 RZ 1/20
edia sizes edia sizes umensions (w x d x h) <sup>2</sup> leight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6,</sup> harranty features nergy efficiency mplance pontrol panel isplay oftware included ontrol danel isplay oftware included ontrol panel isplay oftware included ontrol panel isplay ontrol panel isplay ontr	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 buplexer: 60 to 163 g/m²</li> <li>Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3 *: 41, RA4, A5, B5 (JIS), 16K; (ustom: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76, X127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; 0ptional Trays 3 *: 102 x 148 to 216 x 348 mm</li> <li>38.1 kg</li> <li>Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) Waddmum: 699 x 504 x 583 mm</li> <li>38.1 kg</li> <li>Printer; Four preinstalled HP Laser Jet toner cartridge (Flack: ~6000 pages, Color: ~5000 pages); Toner collectic (~15,000 pages) Waddmum: 699 x 504 x 583 mm</li> <li>Chard Chigh K, Contract Original Laser Jet Toner Cartridge (~14,900 pages); Toner collectic (~15,000 pages) Waddmum: 699 x 504 x 583 mm</li> <li>Chard Chigh Laser Jet Toner Cartridge (~12,200 pages) Waddmum Carter (~15,000 pages); Waddmum Carter (~11,700 pages) CF362X; HP (Weld Magenta Contract (~15,000 pages) Waddmum Carter (artridge (~12,200 pages) Waddmum Carter (~12,200 pages) Waddmum Carter (artridge (~12,200 pages) Waddmum Carter (~12,000 pages)</li></ul>	a 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 156 mm 38.6 kg unit: In-box documentation; CD; Power Cord High Yeld Cyan Contract Original Laser Jet Toner Critidge (~ 11,700 pages) CF361XC; H0 CF362XC High Yield Yellow Migh 21 sexiest Toner Cartridge (~ 11,700 pages) CF361XC; H0 W9063MC Magenta Managed B2 sexiest Toner Cartridge (~ 11,700 pages) CF362XC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in B 0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated I button (for quick return to the Home menu) SWelcome Screen (Directs users to 123.HP.com or 05 App Source for printer software). Online user manuals or symbol builtin; 1; Internal I Inicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cam allable at http://www.hp.com/go/laserjetfonts 6), Linux Fedora (22, 24), Linux Mint (17, 17, 1, 17, 2, 17, 3, 18), Linux Red Ha Enterprise (6, 0, 7, 0), Linux SUSE (13, Citrix on Windows Server 2003/2003R2, 21, Kir on Windows Server 2008/R2/2008 R2 Jen; Citrix on Windows Server 2013 R2 Jen; Citrix on Windows Server 2013 R2 Jen; Citrix on Windows Server 2013 R2 Jen; Citrix on Windows Server 2008 R2 Jen; Citrix on Windows Server 2008 R2 Jen; Citrix on Windows Server 2013 R2 Jen; Citrix on Windows Server 2008 R2 Jen; Citrix on Windows Server 2013 R2 Jen; Citrix on Windows Server 20
ledia sizes ledia sizes ledia Sizes Custom imensions (w x d x h) <sup>2</sup> leight <sup>3</sup> /hat's in the box <sup>1</sup> polacement cartridges <sup>6,</sup> polacement cartridges <sup>6</sup>	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 Duplexer: 60 to 163 g/m²</li> <li>Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3 *: 44, RA4, A5, B5 (JIS), 16K; Lustom: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76, X1 27 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 2: 76 x 127 to 216 x 355 mm;</li> <li>Tray 2: 76 x 127 to 216 x 355 mm;</li> <li>Tray 2: 76 x 127 to 216 x 355 mm;</li> <li>Tray 2: 76 x 127 to 216 x 355 mm;</li> <li>Tray 2: 76 x 127 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 356 mm;</li> <li>Tray 2: 76 x 127 to 216 x 356 mm;</li> <li>Tray 2: 76 x 127 to 216 x 356 mm;</li> <li>Tray 2: 76 x 127 to 216 x 356 mm;</li> <li>Tray 2: 76 x 128 mm;</li> <li>Tray 2: 72 x 128 mm;</li> <li>Tray 2: 78 x 128 mm;</li> <li>Tray 2:</li></ul>	a 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 156 mm 38.6 kg nult: In-box documentation; CD; Power Cord High Yeld Cyan Contract Original Laser let Toner Critidge (~11,700 pages) CF361XC; H0 CF362XC High Yield Yellow Migh 21 sexiest Toner Cartridge (~11,700 pages) CF363XY; HP W9060XC, Black Managed Laser let Toner Cartridge HP W9062MC Yellow Managed Laser let Toner Critidge (~12,200 pages) CF361XC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in button (for quick return to the Home menu); Stended Keyboard Stended Keyboard Stended Keyboard Stended Keyboard Stended Keyboard Stended Keyboard Stended Keyboard Stended Keyboard Stended Keyboard Migh Yellow Managed Laser let Toner Cartridge (~12,200 pages) W9062MC; HP W9063MC Magenta Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in me 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated H button (for quick return to the Home menu) SWelcome Screen Directs users to 123.HP.com or 05 App Source for printer software). Online user manuals So symbol built-in; 1 internal Hindox Forts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cam allable at http://www.hp.com/go/laserjetfonts 6), Linux Fedora (22, 24), Linux Mint (17, 17, 1, 17, 2, 17, 3, 18), Linux Red Hat Enterprise (6, 0, 7, 0), Linux SUSE (13, 2, 7, 200 Ferminal, Services 32- and 64-bit, Cintx xenApp 53-25 bit Cints on Windows Server 2003 R22102 R2 Firminal Services 7 2006 Jerminal Services 32- and 64-bit, Cintx xenApp 53-25 bit Cints and Keyboard 25 Pi, Cintx on Windows Server 2003 R2 212 Pi Jerminal Services 7 2006 Jerminal Services 32- and 64-bit, Cintx xenApp 53
ledia sizes ledia sizes ledia Sizes Custom limensions (w x d x h) <sup>2</sup> velght <sup>3</sup> what's in the box <sup>1</sup> geplacement cartridges <sup>6</sup> . Varranty features nergy efficiency ompliance ompliance ontrol panel lisplay oftware included onts and typefaces ompatible operating systems <sup>13</sup> ompatible network perating systems linimum system aquirements tower <sup>5</sup> coustics	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 buplexer: 60 to 163 g/m²</li> <li>Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3 *: 44, RA4, A5, B5 (JIS), 16K; Lustom: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 258 to 216 to 216 x 258 to 216 to 216 x 258 to 216 to 216 x 259 mm;</li> <li>T</li></ul>	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automati to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 38.6 kg nunt; In-box documentation; CD; Power Cord High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC; High Yield Yellow Ananged LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC; High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC; High Yield Yellow Managed egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in me button (for quick return to the Home menu); Extended Keyboard one button (for quick return to the Home menu) DS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals to symbol built-ini; 11 internal Unicod Fonts (Andale Mono World Type); 21 Internal Windows Vista 8 Fonts (Calibri, Cam alable at http://www.hp.com/gloade=fonts (Andale Mono World Type); 21 Internal Windows 7 all 32- & 64-bit Home Basic, Premium, Professional, etc.), Windows SP SP 32-bit editions (KP Home, KP Pro, etc.) (11 Kin x Mindows Server 2003/2003RZ; Calibri, Cirk xanbabe SP1, Cirk xon Windows Server 2008 RZ Terminal Services; 32- and 64-bit; Calibri, XenApp 5.5 (for Windows Server 2008 RZ Terminal Services; 32- and 64-bit; Cirk xenApp 5.0 (55 (for Windows Server 2008 RZ Terminal Services; 32- and 64-bit; Cirk xenApp 5.0 (for Vindows Server 2008 RZ Terminal Services
ledia weight ledia sizes ledia sizes Custom imensions (w x d x h) <sup>2</sup> ledjht <sup>3</sup> what's in the box <sup>1</sup> geplacement cartridges <sup>6</sup> . Seplacement cartridges <sup>6</sup> . warranty features nergy efficiency omplance ontrol panel lisplay oftware included onts and typefaces ormpatible operating ystems <sup>13</sup> ompatible network perating systems linimum system equirements tower <sup>5</sup> coustics perating environment	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 buplexer: 60 to 163 g/m²</li> <li>Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3 *: 44, RA4, A5, B5 (JIS), 16K; Lustom: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 257 mm;</li> <li>Tray 1: 76 x 128 to 216 x 258 to 216 to 216 x 258 to 216 to 216 x 258 to 216 to 216 x 259 mm;</li> <li>T</li></ul>	o 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optiona 38.6 kg nunit; In-box documentation; CD; Power Cord High Yield Cyan Contract Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original LaserJet Toner Cartridge (~ 11,700 pages) CF363XC; HP W906JMC; Black Managed LaserJet Toner Cartridge HP W9052MC; Yellow Managed LaserJet Toner Cartridge (~ 200 pages) W906ZMC; HP W905AMC; Managed LaserJet Toner Cartridge egal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in me button (for quick return to the Home menu); Extended Keyboard one button (for quick return to the Home menu) DS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals ro symbol built-ini; 1: Internal Unicode Fonts (Andale Mono World Type); 2: Internal Windows Vista 8 Fonts (Calibri, Cam abiae at http://www.hp.com/glaserjetTonts 6), Linux Fedora (22, 23, 24), Linux Mint (17, 17, 1, 17, 17, 17, 31, 8), W1Mdows Server 2008 RZ Terminal Services; 32- and 64-bit; CAI Yen Mindows Server 2008 RZ Terminal Services; 32- and 64-bit; CAI Yen Mindows Server 2008 RZ Terminal Services; 32- and 64-bit; CAI Yen Mindows Server 2008 RZ Terminal Services; 32- and 64-bit; CAI Yen Yen Mindows Server 2008 RZ Terminal Services; 32- and 64-bit; CAI Yen Ze Terminal Services, 32- and 64-bit; CAI Yen
edia sizes edia sizes edia Sizes Custom imensions (w x d x h) <sup>2</sup> leight <sup>3</sup> hat's in the box <sup>1</sup> eplacement cartridges <sup>6</sup> , arranty features ergy efficiency mpliance sontrol panel isplay oftware included onts and typefaces ompatible operating stems <sup>15</sup> compatible network ereating systems inimum system quirements ower <sup>5</sup> coustics	<ul> <li>Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 buplexer: 60 to 163 g/m²</li> <li>Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 Trays 3 *: 44, RA4, A5, B5 (JIS), 16K; Lustom: 102 x 148 to 216 x 356 mm</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm; Tray 2: 102 x 148 to 216 x 356 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 1: 76 x 127 to 216 x 355 mm;</li> <li>Tray 2: 76 x 200 pages);</li> <li>Toner calculated to 216 x</li></ul>	a 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatics 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional 38.6 kg nunit; In-box documentation; CD; Power Cord High Yield Cyan Contract Original Laser)et Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original Laser)et Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original Laser)et Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original Laser)et Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original Laser)et Toner Cartridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Original Laser)et Toner Cartridge (~ 12,200 pages) WOG6/WC; HP W3053MC Magenta Managed eagl requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in the W3052MC (Yellow Managed Laser)et Toner Cortridge (~ 11,700 pages) CF361XC; HP CF362XC High Yield Yellow Wanaged service to the Home menu?; Extended Keyboard orme button (for quick return to the Home menu?) So Welcome Screen Directs users to 123.HP Com or DS App Source for printer software), Online user manuals ro symbol built-in; Tinternal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Carable) High Medias Yellow Managed Carabet Store (200, 200, 200, 200, 200, 200, 200, 200

#### Data sheet | HP Color Laser Jet Managed MFP E57540 series

<sup>1</sup> Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors. <sup>2</sup> Without Tray 1 or Legal extension extended

<sup>3</sup> With printer cartridges

<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>5</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). <sup>6</sup> Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see

http://www.hp.com/go/learnaboutSupportlies

<sup>9</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>10</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

11 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>12</sup> HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

13 Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32 - & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software. <sup>14</sup> Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print and

Scan drivers only; Windows RT OS for Tablets (32 - & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software. <sup>15</sup> Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

#### To learn more, visit hp.com

© Copyright 2018-2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windowsis a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

